Page 1 of 4 MSDS # 126765002

GLADE PLUG-INS - RAINSHOWER

| Date Issued: 16Dec2002 | | | Supersedes: 04Jan2000 | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| US MANUFACTURER: S.C. Johnson & Son, Inc. Phone: (800) 725-6737 Racine, Wisconsin 53403-2236 Emergency Phone: (888) 779-7920 International Emergency Phone: (262) 886-1480 | | | S.C. Phone 1 Web Brant Trans CAN | AN MANUFACTURER: Johnson and Son, Limited : (800) 725-6737 ster Street ford, Ontario N3T 5R1 portation Emergency: UTEC (collect) (613) 996-6666 n Control: (888) 779-7920 | |
| HAZARD RATING | HMIS HAZARD | NFPA | DISTRIBUTED IN CANADA BY: S.C. Johnson and Son, Limited Phone: (800) 725-6737 1 Webster Street Brantford, Ontario N3T 5R1 | | |
| 4-Very High | 2 Health | 1 | | : (800) 725-6737 | |
| SECTION 1 - PRODUCT IDENTIFICATION | | | | | |
| PRODUCT NAME GLADE PLUG-INS - RAINSHOWER PRODUCT USE Household: Air care | | | | | |
| SECTION 2 - | INGREDIENT INFOR | MATIC | ON | | |
| ING | | | | EXPOSURE LIMIT/TOXICITY | |
| Amorphous Fumed Silica (CAS# 7631-86-9) 1-5 5 mg/m³ (RESPIRABLE DUST) | | | 5 mg/m³ (RESPIRABLE DUST) , 10 mg/m3 (TOTAL DUST) ACGIH-NUISANCE DUST. (SUPPLIER RECOMMENDED) | | |
| SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11) | | | | | |
| ROUTE(S) OF ENTRY EFFECTS OF ACUTE EXPOSI EYE | . Skin contact. URE: . May cause: Modera . May cause: Mild s . None known. . None known. | te eye kin ir: | irrita ritatio | tion. n. | |
| SECTION 4 - FIRST AID MEASURES | | | | | |
| EYE CONTACT Flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, get medical attention. SKIN CONTACT Wash contaminated area with water and soap. If irritation persists, get medical attention. INHALATION No special requirements. INGESTION Seek immediate medical attention. | | | | | |
| SECTION 5 - FIRE AND EXPLOSION INFORMATION | | | | | |
| FLASH POINT | . 172°F (78°C) (TCC |) | | | |

Page 2 of 4 MSDS # 126765002

GLADE PLUG-INS - RAINSHOWER

Date Issued: 16Dec2002 Supersedes: 04Jan2000

----- SECTION 5 - FIRE AND EXPLOSION INFORMATION (continued) -----

FLAMMABLE LIMITS..... Not applicable. AUTOIGNITION..... Not applicable.

TEMPERATURE

EXTINGUISHING MEDIA.... Foam. CO2. Dry chemical. Water fog.

SPECIAL FIREFIGHTING... Normal fire fighting procedure may be used.

PROCEDURES

UNUSUAL FIRE AND...... No special hazards known.

EXPLOSION HAZARDS

----- SECTION 6 - PREVENTIVE RELEASE MEASURES -----

STEPS TO BE TAKEN IN... Eliminate all ignition sources. Dike large spills. Absorb with CASE MATERIAL IS oil-dri or similar inert material. Sweep or scrape up and containerize.

----- SECTION 7 - HANDLING AND STORAGE ------

PRECAUTIONARY...... Do not remove or puncture clear film covering gel. Avoid contact INFORMATION with eyes. If such contact occurs, flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, seek medical aid. Do not place open cartridges on finished wood.

seek medical aid. Do not place open cartridges on finished wood

surfaces. Keep out of reach of children.

OTHER HANDLING AND.... Keep from freezing.

STORAGE CONDITIONS

----- SECTION 8 - SPECIAL PROTECTION INFORMATION ------

RESPIRATORY PROTECTION. No special requirements under normal use conditions.

VENTILATION..... No special requirements.

PROTECTIVE GLOVES..... No special requirements under normal use conditions. EYE PROTECTION...... No special requirements under normal use conditions.

OTHER PROTECTIVE..... No special requirements.

MEASURES

----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES ------

COLOR..... Clear Yellow

PRODUCT STATE..... Gel.

SPECIFIC GRAVITY..... 0.95

(H2O=1)

VAPOR DENSITY (AIR=1).. > 1

EVAPORATION RATE (BUTYL Not available.

ACETATE=1)

VAPOR PRESSURE (mm HG). < 2 mm Hg
BOILING POINT..... Not available.
FREEZING POINT.... Not available.
COEFFICIENT OF.... Not available.

WATER/OIL

PERCENT VOLATILE BY.... 95-99

VOLUME (%)

Page 3 of 4 MSDS # 126765002

GLADE PLUG-INS - RAINSHOWER

| Date Issued: 16Dec2002 | Supersedes: 04Jan2000 | | | |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued) | | | | |
| VOLATILE ORGANIC COMPOUND (VOC) | Not available. | | | |
| THEORETICAL VOC (LB/GAL) | Not available. | | | |
| SECTION 10 - STABILITY AND REACTIVITY | | | | |
| STABILITY | Stable | | | |
| STABILITY - CONDITIONS. TO AVOID | | | | |
| INCOMPATIBILITY | Not applicable. | | | |
| PRODUCTS | No special requirements. | | | |
| HAZARDOUS | Will not occur. | | | |
| HAZARDOUS | Not applicable. | | | |
| POLYMERIZATION - CONDITIONS TO AVOID | | | | |
| SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3) | | | | |
| LD50 (ACUTE ORAL TOX) | Not available. | | | |
| | Estimated to be greater than 2000 mg/kg. | | | |
| LC50 (ACUTE INHALATION. TOX) | | | | |
| EFFECTS OF CHRONIC EXPOSURE | | | | |
| SENSITIZATION | | | | |
| CARCINOGENICITY | | | | |
| REPRODUCTIVE TOXICITY TERATOGENICITY | | | | |
| MUTAGENICITY | | | | |
| SECTION 12 - I | ECOLOGICAL INFORMATION | | | |
| | | | | |
| ENVIRONMENTAL DATA | | | | |
| SECTION 13 - DISPOSAL CONSIDERATIONS | | | | |
| WASTE DISPOSALINFORMATION | No special method. Observe all applicable Federal/ Provincial/ State regulations and Local/ Municipal ordinances regarding disposal of non-hazardous materials. | | | |
| SECTION 14 - TRANSPORTATION INFORMATION | | | | |
| US DOT INFORMATION | Deodorants, N.O.I., VNX \$2.00 lb. (Combustible Non-bulk | | | |
| CANADIAN SHIPPING NAME. | Exemption) GLADE PLUG-INS - RAINSHOWER | | | |
| TDG CLASSIFICATION | | | | |
| PIN/NIP | Not applicable. | | | |
| PACKING GROUP | Not applicable. | | | |
| EXEMPTION NAME | Not applicable. | | | |

Page 4 of 4

MSDS # 126765002

GLADE PLUG-INS - RAINSHOWER

| Date Issued: 16Dec2002 | Supersedes: 04Jan2000 |
|----------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| SECTION 15 - R | EGULATORY INFORMATION |
| WHMIS CLASSIFICATION | Non-regulated. |
| All ingredients of this pr Substances Control Act (TS | roduct are listed or are excluded from listing on the U.S. Toxic (CA) Chemical Substance Inventory. |
| All ingredients in this prunder the Canadian Environ | roduct comply with the New Substances Notification requirements mental Protection Act (CEPA). |
| This product is not subject | et to the reporting requirements under California's Proposition 65. |
| SECTION 16 - O | THER INFORMATION |
| ADDITIONAL INFORMATION. EPA REGISTRATION # | |
| PREPARATION | INFORMATION |
| PREPARED BY | Manufacturer's Technical Support Department. Refer to page 1 (Manufacturer) for contact information. |
| | |

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

PRINT DATE: 16Dec2002